



Sabyasachi Ray, born and brought up in Cuttack, Odisha, is a Mechanical Engineering Graduate who chose to follow his true calling—forestry and environmental conservation. Guided by a deep passion for nature, he transitioned from engineering to forestry, dedicating his career to the learning the methods of sustainable management of forests and natural resources.

His professional journey is rooted in the belief that science, technology, and traditional wisdom can together ensure the long-term health of forests. With a keen interest in timber harvesting, minor forest produce, and ecological restoration, he has been actively engaged in exploring modern, scientific approaches to forestry that balance economic viability with ecological responsibility.

In this book, *Modern Approaches to Harvesting and Marketing of Timber*, he brings together his technical background and field experience to provide fresh perspectives on sustainable timber management. Through his writing, he aims to inspire forestry professionals, students, and policymakers to adopt practices that enhance efficiency, minimize environmental impact, and support livelihoods.



## Modern Approaches to Harvesting and Marketing of Timber



**Sabyasachi Ray**



**CENTRAL ACADEMY FOR STATE FOREST SERVICE  
COIMBATORE**

**2025**

# Modern Approaches to Harvesting and Marketing Timber

Sabyasachi Ray



CENTRAL ACADEMY FOR STATE FOREST SERVICE  
COIMBATORE

2025





## FOREWORD

Forestry today stands at the crossroads of tradition and innovation. While the age-old practices of timber harvesting and marketing have long supported human needs, growing environmental concerns, rapid technological progress, and increasing global demand for sustainable resources compel us to rethink these approaches. The future of forestry depends on our ability to balance economic growth with ecological integrity.

This book, “*Modern Approaches to Harvesting & Marketing Timber*”, is an attempt to bring together emerging tools, technologies, and strategies that redefine the way we look at timber management.

It explores how mechanization, automation, artificial intelligence, and digital platforms are transforming forest operations - from precision harvesting with advanced machinery to blockchain-enabled timber marketing and certification.

The integration of these modern technologies and practices represents a transformative shift toward responsible forestry, contributing to both economic viability and environmental conservation.

I extend my heartfelt congratulations to Mr. Sabyasachi Ray for his commendable effort to highlight the innovative modern techniques involved in timber harvesting and digital marketing.

**V. Thirunavukarasu, IFS**  
APCCF & Principal,  
CASFOS, Coimbatore.





## PREFACE

Forests cover roughly 30% of the world's land surface [United Nations Food and Agricultural Organization]. Trees provide the human population with raw materials, and they are a significant source of energy. Therefore, efficient forest management is of interest to all humankind.

The management of forest resources is crucial for ecological balance and economic development. Traditional methods of timber harvesting and marketing often result in inefficiencies, resource wastage, and environmental degradation.

This study explores innovative approaches to timber harvesting and marketing that enhance productivity, reduce ecological footprints, and improve market accessibility. On the harvesting front, advancements such as precision forestry, use of remote sensing and mechanized harvesting tools like feller bunchers and harvesters, and reduced-impact logging techniques are examined for their efficiency and sustainability.

In marketing, innovations such as digital timber market places, block chain-based traceability, e-auctions, certification schemes (e.g., FSC), and value-chain integration are evaluated for their role in ensuring transparency, fair pricing, and enhanced market reach.

This book attempts a comprehensive analysis of these emerging methods and suggests policy and operational frameworks for their adoption in diverse forestry contexts.

*- Sabyasachi Ray*





## ACKNOWLEDGMENT

My objective in writing this work has been two fold: first, to highlight the innovative techniques that can improve efficiency, safety, and sustainability in timber harvesting; and second, to analyse new marketing practices that ensure transparency, fair pricing, and better accessibility for stakeholders. By integrating case studies, technological advancements, and policy perspectives, this book hopes to provide a comprehensive guide for forestry professionals, researchers, and policymakers.

I sincerely believe that the adoption of these modern methods will not only enhance productivity but also safeguard our forests for future generations. Forestry, after all, is more than just timber—it is about sustaining life, livelihoods, and landscapes.

I would like to express my gratitude to the Central Academy for State Forest Service, Coimbatore, for nurturing a spirit of inquiry and innovation during my training.

I also acknowledge the guidance of my mentors, the support of my peers, and the inspiration drawn from the timeless resilience of our forests.

**Sabyasachi Ray**  
ACF Trainee SFS 2023-25 Batch  
CASFOS Coimbatore





## CONTENTS

| CHAPTERS                              | PAGENO. |
|---------------------------------------|---------|
| 1. Automation in Forestry             | 1-7     |
| 2. Role of Artificial Intelligence    | 9-12    |
| 3. Precision Forestry                 | 13-16   |
| 4. Defect Detection                   | 17-21   |
| 5. Automated Inventory                | 22-25   |
| 6. New Approaches to Timber Marketing | 36-33   |



## Automation of Forestry Operations

### 1.1 Feller Buncher

#### Introduction

A feller buncher is a type of harvester used in logging. It is a motorized vehicle with an attachment that can rapidly gather and cut a tree before felling it.

A feller buncher performs both of these harvesting functions and consists of a standard heavy equipment base with a tree-grabbing device furnished with a chainsaw, circular saw or a shear—a pinching device designed to cut small trees off at the base. The machine then places the cut tree



Fig.1 Feller Buncher



on a stack suitable for a skidder, forwarder, or yarder for transport to further processing such as delimbing, bucking, loading, or chipping.

### Benefits of Feller Buncher

1. High Efficiency- Can fell and bunch multiple trees quickly, increasing the productivity of logging operations. Reduces the time and labour needed compared to manual felling with chainsaws.
2. Operator Safety-The operator remains inside a protected cab, reducing exposure to falling trees, chainsaw accidents, and rough terrain.
3. Controlled Felling-Trees can be precisely directed during felling to avoid damage to residual trees in thinning operations.
4. Bunching Capability-Gathers several trees at once, facilitating easier and faster forwarding/skidding to the landing area.
5. Adaptability-Available in wheeled or tracked versions, suitable for different terrains including slopes, plantations, and wet ground.
6. Improved Terrain Navigation-Tracked models can access steep or uneven ground better than many other machines.
7. Integration with Precision Forestry-Can be paired with GPS and digital mapping tools (e.g., Timber Matic Maps) for real-time tracking and better forest management.



Fig.2 Controlled harvesting



Fig.3 Traversing difficult Terrains



## 1.2 Harvester

A harvester is a type of heavy forestry vehicle employed in cut-to-length logging operations.

Harvesters are employed effectively in level to moderately steep terrain for clearcutting areas of forest. Harvesters are built on a robust all-terrain vehicle, either wheeled, tracked, or on a walking excavator. The vehicle may be articulated to provide tight turning capability around obstacles.

One operator in the vehicle's cab can control all of these functions. A control computer can simplify mechanical movements and can keep records of the length and diameter of trees cut. Length is computed by either counting the rotations of the gripping wheels or, more commonly, using the measuring wheel. Diameter is computed from the pivot angle of the gripping wheels or delimbing knives when hugging the tree.



Fig.4 Harvester

The Length measurement of standing tree can also be used for automated cutting of the tree into predefined lengths. Computer software can predict the volume of each stem based on analysing stems harvested previously. This information when used in conjunction with price lists for each specific log specification enables the optimisation of log recovery from the stem.

Harvesters are routinely available for cutting trees up to 900 millimetres (35 in) in diameter, built on vehicles weighing up to 20 metric tons (20 long tons; 22 short tons), with a boom reaching up to 10 metres (33 ft) radius. Larger, heavier vehicles do more damage to the forest floor, but a longer reach helps by allowing harvesting of more trees with fewer vehicle movements.



Fig.5 Effective for larger girth harvesting





Fig.6 Harvester

### 1.3 Shovel Logger

Whether on a steep slope or in a swamp, Shovel Loggers offer solutions to tackle challenging conditions. The Shovel Logger is equipped to help manoeuvre the muck of swamps or wetlands, tackling challenging job sites with its powerful live heel, durable track system and comfort-boosting operator station.

If the job site has an uphill, the shovel logger and directional feller configurations can help dig through those steep slopes. It uses a log loader to swing logs to the forest road. Shovel logging is one of a number of methods that may be used to move logs from the forest to the road. Rather than driving out to the log and dragging it back to the landing, the loader moves slowly across the harvest area, grabbing logs/trees within reach, and swinging them around to drop them closer to the road. Skidding and cable logging can be more cost efficient for logs further from the road. Shovel

logging can make use of the loader between log truck arrivals. It can also reduce soil disturbance, since it requires only a single pass to move all the logs in reach.



Fig.7 Delivering work in steep terrains



Fig.8 Shovel Logger



## 1.4 Forwarder

A forwarder is a forestry vehicle that carries big felled logs cut by a harvester from the stump to a roadside landing for later acquisition. Forwarders can use rubber tyres or tracks.



Fig.9 Forwarding from the Stump site

## Artificial Intelligence in Smart Forestry

Smart Forestry, “intelligent forestry”, uses a wide variety of technologies including sensors robots, cyber-physical systems, drones and satellites. The application of AI-augmented technology can enhance the efficiency and effectiveness of forestry processes, including planning, tree felling, transportation, and reforestation.

### 2.1 Automated Harvesting

Forest engineering encompasses a crucial and ground breaking aspect: the utilization of autonomous harvesting machinery that integrates various artificial intelligence functions and techniques.



Fig. 10 Automated Harvesting



## 2.2 Optimization of Wood Transport and Logistics

a) **Load Optimization:** AI can also be applied to maximize the load-carrying capacity of each transport vehicle. Through computational algorithms, the system can

[illegible]

Fig.11 Load optimization



## Precision Harvesting

Precision Forestry system revolutionizes logging by combining machine intelligence, real-time data, GPS mapping, and remote monitoring to improve productivity, efficiency, and decision-making in forest operations.



Fig. 12 Remote Monitoring of Production

### 3.1 Core Technology

#### 1. Real-time update maps

This is an advanced way of seeing the jobsite. Live production and location data are shared among forestry machines via a wireless mobile network and a real-time cloud connection. Operators can view all machine locations and the

- b) **Environmental Impact assessment:** AI models can be trained to optimize routes and loads not just for efficiency, but also for minimizing environmental impact. Algorithms can be designed to prioritize routes that are less likely to cause soil compaction, erosion, or damage to the surrounding ecosystem. That is especially important for in-stand traffic: AI can match water table maps, weather forecasts and log distribution to calculate extraction paths that avoid sensitive terrain, thus minimizing environmental impact and maximizing vehicle mobility. Life-cycle assessments (LCA) can be incorporated into the decision-making process to ensure sustainability.

**Water and soil properties detection:** Minimizing ecological disruption is paramount. AI can be programmed to detect areas with high soil moisture to ensure low soil compaction, avoid nutrient depletion, and prevent damage to the remaining stand. Moreover, LCA can be integrated into AI algorithms to guide more sustainable practices.



Fig.11 Environmental Impact Assessment



current logging situation in real time using the Maps display through the control system in the machine cab.

## 2. Simplified mapping

It accommodates all common map formats, from simple hand-drawn maps to elaborate shape-files or pdfs. Standard satellite or topographic imagery can be sent directly to the machine through onboard cellular connection. Example- Using a Timber Manager app, owners can change map features and share updates via an online, cloud-based solution without having to physically visit each machine.




Fig.13 Timber Mapping

## 3. Live production view

Apps. shows the precise GPS-based location, estimated volume, and up to two species of timber when manually




Fig.14 Effective Management of Production

counting stems with a feller buncher – for simple, efficient planning. Forwarder operators can immediately see where certain species are located and choose the optimal route to pick up and transport a full load of a desired assortment to the landing.

## 4. Precise progress tracking

As the job progresses, production data and logging routes are updated in real time on Timber Maps, displaying the actual, up-to-the minute status of the jobsite. Using the Areas of Interest and Points of Interest functions, operators and contractors can easily mark hazards, obstacles, soft ground, and challenging terrain, in the cab or on a tablet. These are shared in real time with all crew members, optimizing job site awareness and productivity.

## 5. Remote monitoring

In addition to Timber Maps onboard the machine, contractors and supervisors can monitor live progress from



Fig.15 Remote Monitoring



anywhere at any time using Timber Manager — a web-based solution for PCs, tablets, and mobile phones. Select a logging site and view harvesting, skidding, and forwarding progress at a glance, along with more detailed information, including machine production and efficiencies.

## 6. Fleet optimization

Going beyond machine-level management with information and insights to improve efficiency and precision. These apps can be synchronized with forestry equipment, including skidders, wheeled and tracked feller bunchers, wheeled and tracked harvesters, forwarders, and swing machines.

## Minimising Economical losses through Detection of Defects

Defect detection is an essential part of quality control in almost all industrial processes. When dealing with natural materials, such as wood, the large visual and structural variation makes the defect detection task challenging. The task is further complicated in cases where defects are small (e.g., knots in the wood), as labelling of large datasets for training is difficult. In practice, this means that the defect detection model should be able to locate subtle visual or structural cues that characterize defects and should be invariant to the large natural variation of materials.



Fig.16 Timber Defects



Trees are essential to both urban and natural ecosystems. They provide numerous environmental, social, and economic benefits. However, internal defects such as decay, cracks, cavities, and fungal infections can compromise the structural integrity of trees, thereby reducing commercial values.

Detecting these internal issues is crucial for foresters. Traditional methods like visual inspection and sounding are useful but limited in their capacity to reveal internal defects. In response, modern non-destructive testing (NDT) methods have been developed to evaluate tree health without causing damage. These technologies leverage advancements in acoustics, imaging, and data analysis to offer precise and in-depth assessments.




Fig.17 Analysing timber health

## 4.1 Sonic Tomography

Sonic tomography provides a cross-sectional image of a tree's internal structure by analyzing the speed of sound waves passing through the wood.

**Working Principle:** Sensors (transducers) are placed around the trunk. Sound pulses are sent from one sensor and received by others. The speed at which sound travels through the wood is analyzed. Healthy, dense wood transmits sound faster than decayed or hollow areas.



Fig.18 Sonic Tomography

## 4.2 Ground Penetrating Radar (GPR)

Originally used in archaeology and engineering, GPR has recently been adapted for tree diagnostics.

**Working Principle:** A GPR antenna is moved around the trunk. It emits high-frequency radio waves that penetrate the wood. Reflected signals are analyzed to detect changes in wood density and the presence of voids or decay.





Fig.19 Ground Penetrating Radar (GPR)




Fig.20 Heartwood hollow detection

### 4.3 Thermal Imaging

Thermal imaging is a contactless method that detects surface temperature variations on tree bark.

**Working Principle:** Trees with internal decay may have altered heat conductivity. Infrared cameras capture surface temperature differences. Cooler or warmer spots may indicate cavities, moisture, or decay.



Fig.21 Thermal Imaging



## Automated Measurement of Wood Logs

The aim is to revolutionize the way the forestry industry measures timber. It provides digital solutions that are more efficient, accurate, and sustainable than traditional methods.




Fig.22 Automated Measurement by Timbeter Software

The use of technology can make a positive impact on the forestry industry by reducing waste, improving operations, and enabling companies to make better decisions.

By digitizing the measurement process, we can eliminate the need for physical measurement, which can be time-consuming, costly, and prone to errors.



Fig.23 Girth Analysis




Fig.24 Length Analysis





Fig.25 Vision system company Timber Diameter and length measurement using Infrared Technology




Fig. 26 Loadmon company demo software for measuring Truckloads of timber

## How it works

The scanning and measuring process can be carried out automatically or with human intervention and consists of several steps:

1. Vehicle detection - plate recognition service will detect the vehicle and display information about the vehicle, load and waybill.
2. Scanning - sensors will collect millions of points to build a full 3D model of the truck.
3. Analyze - the program will analyze the model of truck and extract the main characteristics of the load, including its width, length, height, load distribution and displacement, quality and volume
4. Results & auditing - web application offers a comfortable way to view results, generate reports and can be easily integrated with other solutions and systems. Every result is also supplied with side images and 3D model of the truck.



## New Approaches for Timber Marketing

### 6.1 Digital Platforms and E-Marketing

- (a) **Online Timber Portals:** Use platforms like MSTC Timber e-Auction to connect directly with buyers, eliminating middlemen.




Fig. 27 MSTC Timber Auction

- (b) **Mobile Apps:** Developing apps. to showcase available timber stock, pricing, quality, and bidding options.




Fig. 28 Specialized Timber Sale Mobile Apps.

### 6.2 Timber Certification

Timber certification is a process which results in a written statement (a certificate) attesting to the origin of wood raw material and its status and/or qualifications, often following validation by an independent third party. Certification is designed to allow participants to measure their forest management practices against standards and to demonstrate compliance.



Fig. 29 Wood Certification

#### Popular Certification Schemes

- FSC (Forest Stewardship Council)
- PEFC (Programme for the Endorsement of Forest Certification)
- SFI (Sustainable Forestry Initiative)

Timber certification may also be used to validate any type of environmental claim made by a producer, or to provide objectively stated facts about the timber products and their forest of origin that are not normally disclosed by the producer or manufacturer. Timber certification typically includes two main components: certification of the sustainability of forest management, and product certification. Certification of forest management covers forest



inventory, management planning, silviculture, harvesting, road construction and other related activities, as well as the environmental, economic and social impacts of forest activities. In product certification, roundwood and processed timber products are traced through the successive phases of the supply chain. Certification of forest management thus takes place in the country of origin; product certification covers the supply chain of domestic and export markets.



Fig. 30 FSC Certification of Source

#### Benefits:

1. **Market Access:** Certified timber can gain access to markets that prioritize sustainably sourced products.
2. **Consumer Confidence:** Certification provides assurance to consumers that the timber products they purchase are from responsibly managed forests.
3. **Environmental Protection:** Certification can encourage better forest management practices, helping to protect biodiversity and other ecological values.

## 6.3 Data-Driven & AI-Powered Marketing

### Market Analytics Tools

Use AI to analyse demand trends, pricing patterns, and consumer preferences across regions.



Fig. 31 Market Analytics.

### Customer Profiling

Segment buyers (e.g., furniture makers, builders, exporters) and customize offerings, promotions, or pricing.



Fig. 32 Customer Profiling



## 6.4 Value Addition & Product Innovation

- (a) **Engineered Wood Products:** Manufacturing and Marketing laminated veneer lumber, cross-laminated timber, or MDF as sustainable, strong alternatives to traditional timber.



Fig. 32 Value Added Timber Product

- (b) **Setting up a furniture manufacturing unit-** To cater to customized timber needs, we can offer a wide range of furniture, from home to office, with varying styles and price points



Fig. 33 Customizing Timber

## 6.5 Business to business Integration

- (a) **B2B Tie-ups:** Partner with real estate developers, interior designers, wood product manufacturers, and furniture retailers.



Fig. 34 Business tie-ups

- b) **Online marketing of Value-added Products:** Promoting value added timber products such as furniture on Flipkart, Amazon, eBay to reach hobbyists, carpenters, and small businesses directly.



Fig. 35 Online Marketing Platforms



## 6.6 Timber Promotion Campaigns

Organize workshops, expos, and fairs to educate users on timber use and new products.



Fig. 36 Wood Expo

## 6.7 Digital Marketing

Use YouTube, Instagram, and LinkedIn to share woodworking ideas, sustainability stories, and customer testimonials to promote timber and value-added products.



Fig. 37 Digital Marketing

## 6.8 Efficient Supply Chain and Logistics

Attracting more customers with timely delivery promises by digitizing paper work and building strong logistic support.



Fig. 38 Timely Logistics Support